



Installation Instructions

Jeep Wrangler JK Freedom Top Panel Storage Bag

Item #13100001



Parts List:

Freedom Top Storage Bag - QTY 1
Adjustable retention strap - QTY 1

Required Tools:

Safety Glasses

⚠ WARNING ⚠

Loss of vehicle control involves risk of death or serious injury, particularly to parts of your body not restrained within vehicle. This product is intended for weather protection only and should not be relied upon to contain occupants in the event of an accident or to protect from either ground contact or falling objects. To reduce risk of accident or injury:

- ALWAYS WEAR SEATBELTS
- Always keep head, arms & body parts within vehicle.
- Fully secure or stow the Freedom Top storage bag before driving according to instructions. Never try to latch or fold soft top while driving. Do not use if damaged or worn.
- Read and follow all instructions & warnings accompanying this product, in your vehicle owner's manual and Off Road Driving Supplement.

⚠ CAUTION ⚠

RISK OF EYE INJURY. Safety glasses should be worn at all times while installing or maintaining this product.

Important Safety information

Your MasterTop® Freedom Top Storage Bag is intended to store and protect your hard top panels from being damaged. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:

⚠ WARNING ⚠

A hazardous situation which, if not avoided, could result in death or serious injury. You CAN be KILLED or SERIOUSLY HURT if you don't follow instructions.

⚠ CAUTION ⚠

A hazardous situation which, if not avoided, could result in minor or moderate injury. You CAN be moderately HURT and also may suffer property damage if you don't follow instructions.

NOTICE

Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your MasterTop product or other property may result if you don't follow instructions.




Before you begin Installation:

We are excited that you have chosen the MasterTop Freedom Top Storage Bag! This high quality storage solution is designed to provide storage and protection of your Freedom Top panels when they have been removed. Please note that it is important that you become familiar with the installation process by reading the following instruction sheet and warnings thoroughly. Though we have used only the finest materials in creating this storage bag, any product that is exposed to the elements requires some general maintenance to keep it looking like new. Please see page 3 for these important maintenance tips. Please also note that it is normal for fabric to contract and wrinkle when stored in the shipping carton. In a few days the fabric will relax and wrinkles will disappear.

When unpacking, check to make sure all parts are included.

If any part is missing or broken, please call MasterTop customer service at 720-575-5440.

Installation and use of Freedom Top Storage Bag:



Threading Straps through Clips:

Throughout the installation, you will need to thread webbing straps through a clip. Please review the picture above for correct strap routing through the clip. As a rule of thumb, run the strap below and through the sewn side of the clip first and then back down through the end of the clip. Tighten the strap by simply pulling the exposed webbing after threading the strap through the clip.



Step 1:

Put on safety glasses. Carefully remove your Freedom top panels from your Jeep hard top. Lay the Storage bag down on a dry ground with the bag completely zipped open. You will notice one corner of the bag has a diagonal corner. This corner matches the Freedom Top panel corner.

Place the freedom top panel with the Top of the panel facing upwards in the bottom slot of the bag. With the fabric divider on top of the bottom panel, Place the second freedom top panel with the underside facing up in the top slot. Close the Zipper securing the panels in the storage bag. See Fig 1.



Step 2:

With the panels secure in the storage bag, you are now able to secure your stored Freedom Panels behind the seat of your Jeep as shown at left. See Fig 2.

Locate the adjustable retaining strap. Pull the strap through the side webbing loops around the storage bag. Install the clip to the strap and clip the strap together. See Fig 2. Position the storage bag in the vehicle with the diagonal corner on the passenger side.



With the bag sitting up-right, clip the bottom hooks into each of the two the factory-installed child restraint loops. See Fig 4.



Proper use of Freedom Top Storage Bag:



Step 2: (continued)

Un-clip the adjustable retaining strap and loop the back portion over both rear seat headrests (around all 4 posts). Make sure the strap does not pull through the side webbing loops. Clip the two ends together and tighten the strap by pulling on the loose end. See Fig 5



Step 3:

Your MasterTop Freedom Top Storage Bag includes a handy handle strap to make transporting your Freedom Panels easier.

To carry the loaded Storage bag, simply tilt the bag on end with the handle facing up. Carefully Reach down and lift the bag by the handle cradling the top of the bag under your arm for stability. See Figs 6 & 7

Care and Maintenance of your MasterTop Freedom Top Storage Bag:

Your MasterTop Freedom Top Storage Bag is made of the finest materials available but to keep it looking new and for the maximum possible wear, it will need periodic cleaning and basic maintenance. The main threat to your soft top and this bag is pollutants, dirt and grime. By keeping your storage bag clean you will prolong the life of your product. We recommend the following to keep your top like new:

Washing:

The cover fabric should be washed often using a mild soap, warm water and a soft bristle brush. You can also use special soft top cleaners available on our Distributors websites. Make sure that after cleaning you rinse with clear water to remove all traces of soap to avoid residue. Air Dry. Do not put in dryer.

Water/Fabric:

Rips in the fabric may be repaired with Bondex® iron on patches. Iron the patches to the Inside of the top, carefully following the Bondex® instructions.

For more information on MasterTop:

This and other helpful product information is available on www.mastertop.com
Please visit our website frequently for product updates and exciting news.





Limited 3 Year Warranty

Your MasterTop® accessory is covered by the following Limited Warranty provided exclusively by MasterTop, Inc., 420 J Corporate Circle, Golden, CO 80401.

This Limited Warranty is the only warranty made in connection with your purchase. MasterTop neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by any MasterTop distributor for which the Manufacturer provides a separate written warranty.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to MasterTop branded accessories first sold in the United States, MasterTop warrants to the initial retail purchaser only that your MasterTop accessory shall be free of defects in material and workmanship; **for a period of 3 years from date of initial retail sale.**

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is **limited to 3 years from date of initial retail sale.** MasterTop reserves the rights to: (a.) require invoice or other proof your product is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.

What is Not Covered: Your MasterTop Limited Warranty does not cover products or parts MasterTop determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, failure to maintain or attempted repair or service by anyone not authorized by MasterTop, (b.) normal wear and tear, cosmetic damage or damage from water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage, (e.) fleet, rental or commercial use, (f.) use in competition or racing.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon MasterTop inspection and at MasterTop's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration on MasterTop Products should first contact MasterTop to obtain a RGA number (720-575-5440). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages - Your Rights Under State Law:

In consideration of the purchase price paid, neither MasterTop nor any independent MasterTop distributor /licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This Limited Warranty gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©MasterTop, Inc. 2017. All Rights Reserved. The term MasterTop® is a Registered Trademark of MasterTop Incorporated, Registered in U.S. Patent and Trademark Office.

www.MasterTop.com

Part #941015.01 Version 8.08.17 LTR

